

TagNumber	Locations	Description	Width	Length	Pieces	Price Each
340599	SRN3	.625" THK SPS 420 SS HR, 30-34 HRC	3.875	11	1	\$17.02
337366	SRN3	.625" THK SPS 420 SS HR, 30-34 HRC	4.125	9.125	1	\$15.03
325788	SRN5	.625" THK SPS 420 SS HR, 30-34 HRC	4.88	10	1	\$19.49
325789	SRN5	.625" THK SPS 420 SS HR, 30-34 HRC	5	10	1	\$19.97
331688	SRN4	.750" (19MM) THK SPS 420 SS HR, 30-34 HRC	5	10.75	1	\$25.75
283927	SRN5	.750" (19MM) THK SPS 420 SS HR, 30-34 HRC	5.375	7.875	1	\$20.28
300200	SRN4	.750" (19MM) THK SPS 420 SS HR, 30-34 HRC	5.625	7.875	1	\$21.22
328628	SRN6	.750" (19MM) THK SPS 420 SS HR, 30-34 HRC	5.75	7.125	1	\$19.63
243600	SRN4	.750" (19MM) THK SPS 420 SS HR, 30-34 HRC	6.125	7.5	1	\$22.01
276957	SRN2	.750" (19MM) THK SPS 420 SS HR, 30-34 HRC	7.375	11.875	1	\$41.96
226292	SRN2	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	4	9.375	1	\$19.76
231157	SRN5	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	4	10.25	1	\$21.61
339759	SRN3	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	5.625	9	1	\$26.68
339760	SRN3	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	5.625	9	1	\$26.68
292712	N1FL	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	5.75	7	1	\$21.21
340274	SRN3	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	6	8.25	1	\$26.09
233032	SRN5	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	6	6.875	1	\$21.74
331690	SRN4	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	6.5	8.875	1	\$30.40
231159	SRN5	.825" (20.9MM) THK SPS 420 SS HR, 30-34 HRC	10.5	4	1	\$22.14
315635	SRN4	.875" THK SPS 420 SS, 30-34 HRC	3.5	9.875	1	\$19.32
315637	SRN4	.875" THK SPS 420 SS, 30-34 HRC	3.625	11.75	1	\$23.81
331151	SRN3	.875" THK SPS 420 SS, 30-34 HRC	3.875	8.25	1	\$17.87
259767	SRN5	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	3.75	11.125	1	\$26.65
259768	SRN5	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	3.75	11.125	1	\$26.65
247428	SRN5	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	4.125	11.125	1	\$29.32
263846	SRN2	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	4.625	8.25	1	\$24.38
263847	SRN2	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	4.625	8.25	1	\$24.38
263848	SRN2	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	4.625	8.25	1	\$24.38
320170	SRN3	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	4.875	9.875	1	\$30.76
331143	SRN4	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	5.125	9.625	1	\$31.51
295281	SRN4	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	5.125	11.875	1	\$38.88
295282	SRN3	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	5.125	11.875	1	\$38.88
315023	SRN5	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	5.125	8.375	1	\$27.42
315022	SRN5	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	5.125	6.75	1	\$22.10
287879	SRN5	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	5.125	6.875	1	\$22.51
331136	SRN4	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	5.625	8.25	1	\$29.65
331137	SRN4	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	5.625	8.25	1	\$29.65
336655	SRN3	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	6.625	10.375	1	\$43.91
339743	SRN3	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	6.875	8	1	\$35.14
339744	SRN3	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	6.875	8	1	\$35.14
331138	SRN4	1.000" (25.4MM) THK SPS 420 SS HR , 30-34 HRC	7.25	9.125	1	\$42.26
289895	SRN2	1.074" (27.3MM) THK SPS 420 SS HR , 30-34 HRC	4.25	10.125	1	\$29.53
289122	SRN4	1.074" (27.3MM) THK SPS 420 SS HR , 30-34 HRC	4.5	8.25	1	\$25.47
238685	SRN5	1.074" (27.3MM) THK SPS 420 SS HR , 30-34 HRC	5.125	8.5	1	\$29.89
290288	SRN3	1.074" (27.3MM) THK SPS 420 SS HR , 30-34 HRC	5.125	9.625	1	\$33.85
321038	SRN5	1.180" THK SPS 420 SS HR , 30-34 HRC	8.375	8.75	1	\$55.24
339627	SRN3A	1.270" (32.2MM) THK SPS 420 SS HR , 30-34 HRC	4	10	1	\$32.45
336659	SRN3	1.270" (32.2MM) THK SPS 420 SS HR , 30-34 HRC	4	10.375	1	\$33.67
333449	SRN3A	1.270" (32.2MM) THK SPS 420 SS HR , 30-34 HRC	4	9.25	1	\$30.02
314927	SRN3	1.270" (32.2MM) THK SPS 420 SS HR , 30-34 HRC	4.625	7	1	\$26.27
337957	SRN4	1.270" (32.2MM) THK SPS 420 SS HR , 30-34 HRC	4.875	8.25	1	\$32.63
336977	SRN3	1.270" (32.2MM) THK SPS 420 SS HR , 30-34 HRC	5.75	8	1	\$37.32
273099	SRN5	1.325" (33.6MM) THK SPS 420 SS HR , 30-34 HRC	4.25	11.125	1	\$40.02
318137	SRN3	1.325" (33.6MM) THK SPS 420 SS HR , 30-34 HRC	4.5	7.25	1	\$27.62
236397	SRN4	1.325" (33.6MM) THK SPS 420 SS HR , 30-34 HRC	5.625	6.75	1	\$32.14
315439	SRN5	1.325" (33.6MM) THK SPS 420 SS HR , 30-34 HRC	6.625	6.875	1	\$38.55
314029	SRN5	1.325" (33.6MM) THK SPS 420 SS HR , 30-34 HRC	7.875	11.375	1	\$75.82
317981	SRN3	1.374" THK SPS 420 SS HR, 30 - 34 HRC	3.625	9.875	1	\$31.43
317929	SRN4	1.374" THK SPS 420 SS HR, 30 - 34 HRC	7.25	8.625	1	\$54.89
336304	N4FL	1.375" THK SPS 420 SS HR , 30-34 HRC	3.25	11.25	1	\$32.12

324337	SRN5	1.375" THK SPS 420 SS HR , 30-34 HRC	4.625	8.375	1	\$34.02
308285	N2FL	1.439" THK SPS 420 SS, 30-34 HRC	3.51	11.875	1	\$38.32
310849	SRN3	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	2.875	8	1	\$23.14
310850	SRN3	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	2.875	8	1	\$23.14
311574	SRN3A	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	3.125	8	1	\$25.16
311575	SRN3A	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	3.125	8	1	\$25.16
323937	SRN3	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	3.25	11.875	1	\$38.83
218378	SRN4	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	3.375	7.875	1	\$26.74
299340	SRN2	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	3.625	10.5	1	\$38.30
236394	SRN4	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	3.875	8.125	1	\$31.68
289738	SRN4	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	4	8.625	1	\$34.71
312090	N2FL	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	4	9.5	1	\$38.23
322276	SRN3A	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	4.25	8.625	1	\$36.88
275488	SRN5	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	4.25	6.75	1	\$28.87
263618	SRN4	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	4.625	11.875	1	\$55.26
306447	SRN4	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	5	7.375	1	\$37.10
271737	SRN3	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	5.5	8.875	1	\$49.11
263004	SRN4	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	6	9.25	1	\$55.84
218369	SRN4	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	6	8.125	1	\$49.05
262496	SRN4	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	6.125	7.375	1	\$45.45
290610	SRN5	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	6.125	6.375	1	\$39.29
273078	SRN5	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	6.625	6.875	1	\$45.83
340280	N4FL	1.575" (40MM) THK SPS 420 SS HR , 30 - 34 HRC	7.5	11.375	1	\$85.84
283149	SRN5	1.594" THK SPS 420 SS HR, 30-34 HRC	5.905	6.229	1	\$37.46
330545	N4FL	1.750" THK SPS 420 SS, 30-34 HRC	4.25	8.125	1	\$38.61
330540	SRN4	1.750" THK SPS 420 SS, 30-34 HRC	5.125	7.125	1	\$40.82
337930	N4FL	1.888" (48MM) THK SPS 420 SS HR,, 30-34 HRC	8.375	9	1	\$90.91
321924	SRN4	2.019" THK SPS 420 SS HR, 30-34 HRC	4.875	8.5	1	\$53.45
315049	SRN4	2.075" (52.7MM) THK SPS 420 SS HR, 30-34 HRC	2.875	10.125	1	\$38.59
332470	SRN3	2.075" (52.7MM) THK SPS 420 SS HR, 30-34 HRC	3	10.75	1	\$42.75
294745	SRN4	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	3.125	8	1	\$33.14
340007	SRN3	2.075" (52.7MM) THK SPS 420 SS HR, 30-34 HRC	3.75	11.75	1	\$58.41
327330	SRN2	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	3.875	8.125	1	\$41.73
320115	SRN4	2.075" (52.7MM) THK SPS 420 SS HR, 30-34 HRC	4.75	11.5	1	\$72.41
256292	SRN2	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	4.75	10.125	1	\$63.75
256293	SRN2	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	4.75	10.125	1	\$63.75
256294	SRN2	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	4.75	10.125	1	\$63.75
256295	SRN2	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	4.75	10.125	1	\$63.75
256296	SRN2	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	4.75	10.125	1	\$63.75
340595	SRN3	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	5.125	5.875	1	\$39.91
294743	SRN4	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	5.375	8	1	\$57.00
321920	SRN4	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	5.5	6.25	1	\$45.57
321922	SRN4	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	5.5	6.25	1	\$45.57
282986	SRN5	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	5.625	6.625	1	\$49.40
327573	SRN3A	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	5.75	6	1	\$45.73
250900	N2FL	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	6.875	10.125	1	\$92.27
279894	SRN4	2.075" (52MM) THK SPS 420 SS HR, 30-34 HRC	7.625	8.25	1	\$83.39
304162	SRN2	2.125" (54MM) SPS 420 SS HR, 30-34 HRC	2	11.625	1	\$31.64
323335	SRN3	2.250" THK SPS 420 SS, 30-34 HRC	5.5	7.125	1	\$56.33
243489	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	2.375	10.125	1	\$35.72
330215	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	3.375	10.625	1	\$53.26
219202	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	3.625	7.875	1	\$42.40
233181	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	3.875	5.875	1	\$33.81
219208	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4.25	9.875	1	\$62.34
219450	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4.375	4.75	1	\$30.87
219452	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4.5	4.75	1	\$31.75
254386	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4.75	5.75	1	\$40.57
219426	SRN2	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4.75	9	1	\$63.50
219427	SRN4	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4.75	9.125	1	\$64.38
216766	SRN4	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4.875	8.75	1	\$63.36
336677	SRN3	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	5.25	8.25	1	\$64.33

219428	N1FL	2.325" (59.2MM) THK SPS 420 SS HR, 30 - 34 HRC	8.625	9.125	1	\$116.90
332473	SRN3	2.374" THK SPS 420 SS HR, 30-34 HRC	2.75	11.875	1	\$49.53
336669	N2FL	2.385" THK SPS420 PLATE, 30-34 HRC	5.25	9.75	1	\$77.99
339076	SRN2	2.559" (65MM) THK SPS 420 SS HR, 30-34 HRC	3.25	9.5	1	\$50.47
278583	SRN5	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	3.25	7.25	1	\$38.76
227409	SRN2	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	3.25	7.625	1	\$40.77
261789	SRN4	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	3.25	9.375	1	\$50.12
266862	N1FL	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	4.25	10.5	1	\$73.41
203331	SRN4	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	4.375	11.125	1	\$80.07
323197	SRO3	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	4.375	11.75	1	\$84.56
256056	SRN2	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	4.375	7.125	1	\$51.28
244974	VR7-6	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	7	11.63	1	\$133.86
324594	VR7-6	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	7.13	10.38	1	\$121.60
271030	N1FL	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	7.875	8.5	1	\$110.11
339999	VR7-7	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	8	10.38	1	\$136.54
339997	VR7-7	2.575" (65.5MM) THK SPS 420 SS HR, 30 - 34 HRC	8	10.25	1	\$134.89
304158	SRN5	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	1.375	11.625	1	\$28.85
340251	SRN3	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	3.625	7	1	\$45.80
340018	SRN3	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	3.625	7.125	1	\$46.61
274118	N2FL	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	4.625	8.625	1	\$81.09
340256	SRN2	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	4.75	7.125	1	\$61.08
324958	SRN5	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	5.25	5.25	1	\$49.74
275478	SRN4	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	5.5	7.5	1	\$74.44
322767	SRN5	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	5.625	5.875	1	\$59.64
321896	VR7-6	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	6.25	8.63	1	\$97.29
340269	N4FL	2.825" (71.7MM) THK SPS 420 SS HR, 30 - 34 HRC	7.125	8.5	1	\$109.30
327992	SRN2	2.952" (75MM) THK SPS 420 SS HR, 30-34 HRC	3	11.625	1	\$65.77
236371	N1FL	3.075" (78.2MM) THK SPS 420 SS HR, 30 - 34 HRC	3.875	10.125	1	\$77.07
236372	N1FL	3.075" (78.2MM) THK SPS 420 SS HR, 30 - 34 HRC	3.875	10.125	1	\$77.07
278780	SRN4	3.075" (78.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4	5.5	1	\$43.22
278781	SRN4	3.075" (78.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4	5.75	1	\$45.18
243596	N1FL	3.075" (78.2MM) THK SPS 420 SS HR, 30 - 34 HRC	4.875	11	1	\$105.34
253757	N1FL	3.075" (78.2MM) THK SPS 420 SS HR, 30 - 34 HRC	5.188	8.003	1	\$81.56
211643	VR7-5	3.075" (78.2MM) THK SPS 420 SS HR, 30 - 34 HRC	8.63	9	1	\$152.49
244967	SRN2	3.075" (78.2MM) THK SPS 420 SS HR, 30 - 34 HRC	12	4	1	\$94.29
310183	SRN3A	3.250" THK SPS 420 SS HR, 30 - 34 HRC	4.75	9.875	1	\$97.39
312369	VR7-5	3.250" THK SPS 420 SS HR, 30 - 34 HRC	7.5	7.63	1	\$118.74
321928	N4FL	3.250" THK SPS 420 SS HR, 30 - 34 HRC	7.625	11.875	1	\$188.00
337171	SRN2	3.375" THK SPS 420 SS HR, 30-34 HRC	5.25	5.875	1	\$66.50
332272	SRN2	3.425" (87MM) THK SPS 420 SS HR , 30-34 HRC	2.875	9	1	\$56.68
283805	VR7-5	3.425" (87MM) THK SPS 420 SS HR , 30-34 HRC	5.13	9.13	1	\$102.45
282300	N2FL	3.425" (87MM) THK SPS 420 SS HR , 30-34 HRC	6	9.5	1	\$124.86
315744	N2FL	3.500 " THK SPS 420 SS, 30-34 HRC	2.875	9	1	\$57.86
315745	N2FL	3.500 " THK SPS 420 SS, 30-34 HRC	3.125	10	1	\$69.87
319185	SRN4	3.625" THK SPS 420 SS HR, 30-34 HRC	2.125	9.875	1	\$48.60
319188	SRN4	3.625" THK SPS 420 SS HR, 30-34 HRC	2.125	9.875	1	\$48.60
293200	SRN4	3.625" THK SPS 420 SS HR, 30-34 HRC	2.125	10.25	1	\$50.44
305180	SRN2	3.625" THK SPS 420 SS HR, 30-34 HRC	3	8.125	1	\$56.45
245566	SRN2	3.625" THK SPS 420 SS HR, 30-34 HRC	3.25	8.25	1	\$62.09
245312	SRN4	3.625" THK SPS 420 SS HR, 30-34 HRC	3.25	8	1	\$60.21
330196	N1FL	3.625" THK SPS 420 SS HR, 30-34 HRC	3.25	10	1	\$75.26
280592	SRN2	3.625" THK SPS 420 SS HR, 30-34 HRC	4.375	8	1	\$81.05
245569	VR7-5	3.625" THK SPS 420 SS HR, 30-34 HRC	5.15	11	1	\$131.19
322823	SRN2	3.625" THK SPS 420 SS HR, 30-34 HRC	5.5	5.875	1	\$74.83
305123	N2FL	3.625" THK SPS 420 SS HR, 30-34 HRC	5.875	7.25	1	\$98.64
247090	VR7-5	3.625" THK SPS 420 SS HR, 30-34 HRC	6	9.5	1	\$132.00
289876	VR7-5	3.625" THK SPS 420 SS HR, 30-34 HRC	7.38	9.38	1	\$160.12
292005	VR7-5	3.625" THK SPS 420 SS HR, 30-34 HRC	7.63	10.25	1	\$180.99
307277	VR7-5	3.625" THK SPS 420 SS HR, 30-34 HRC	8.5	7.38	1	\$145.17
327432	VR7-5	3.750" THK SPS420 HR PLATE, 30-34 HRC	3.88	11.13	1	\$103.28
330199	N1FL	3.937" THK SPS 420 SS, 30-34 HRC	1	9.75	1	\$24.52

330200	VR7-6	3.937" THK SPS 420 SS, 30-34 HRC	2.75	11.25	1	\$77.81
324646	N4FL	3.937" THK SPS 420 SS, 30-34 HRC	3.375	10.125	1	\$85.95
324647	N4FL	3.937" THK SPS 420 SS, 30-34 HRC	3.375	10.125	1	\$85.95
324480	N2FL	3.937" THK SPS 420 SS, 30-34 HRC	5	6.875	1	\$86.46
317417	SRN3	4.200" THK SPS 420 SS, 30 - 34 HRC	1.125	6.25	1	\$18.87
251485	N2FL	4.200" THK SPS 420 SS, 30 - 34 HRC	2.5	8.25	1	\$55.34
251486	N2FL	4.200" THK SPS 420 SS, 30 - 34 HRC	2.5	8.25	1	\$55.34
251487	N2FL	4.200" THK SPS 420 SS, 30 - 34 HRC	2.5	8.25	1	\$55.34
241411	SRN2	4.200" THK SPS 420 SS, 30 - 34 HRC	3.25	8	1	\$69.76
340602	SRN3	4.200" THK SPS 420 SS, 30 - 34 HRC	3.875	6.25	1	\$64.98
224550	SRN3A	4.200" THK SPS 420 SS, 30 - 34 HRC	4.5	9.25	1	\$111.69
296386	N2FL	4.200" THK SPS 420 SS, 30 - 34 HRC	5.125	11.125	1	\$152.98
236765	N2FL	4.200" THK SPS 420 SS, 30 - 34 HRC	6.625	9	1	\$159.98
220911	N1FL	4.200" THK SPS 420 SS, 30 - 34 HRC	10.125	10.75	1	\$292.04
312371	N1FL	4.625" THICK SPS 420 SS, 30-34 HRC	4.875	7.125	1	\$102.63
312372	N2FL	4.625" THICK SPS 420 SS, 30-34 HRC	6.25	8.875	1	\$163.89
321040	SRN4	5.000" THK SPS 420 SS, 30-34 HRC	1.25	8.125	1	\$32.44
279108	N4FL	5.120" THK SPS 420 SS, 30 - 34 HRC	6.75	10	1	\$220.78
322803	SRN3A	5.550" THK SPS 420 SS, 30-34 HRC	1.375	8	1	\$39.00
283923	N1FL	5.550" THK SPS 420 SS, 30-34 HRC	2.625	7.875	1	\$73.29
240304	N2FL	5.550" THK SPS 420 SS, 30-34 HRC	3.375	8.25	1	\$98.72
313615	N2FL	5.550" THK SPS 420 SS, 30-34 HRC	4	11.125	1	\$157.78
240305	N2FL	5.550" THK SPS 420 SS, 30-34 HRC	4.25	11.5	1	\$173.29
257934	N1FL	5.550" THK SPS 420 SS, 30-34 HRC	5.375	7.125	1	\$135.78
284799	N2FL	5.550" THK SPS 420 SS, 30-34 HRC	10	11.75	1	\$416.61
323694	N4FL	5.900" THK SPS 420 SS, 30-34 HRC	4.5	10.125	1	\$171.73